



Product Data Sheet

Recombinant Human R-Spondin 1

Catalog Number: 100-208

Product Description

Alternate Names: hRspo1, Roof plate-specific spondin-1

Accession Number: Q2MKA7

Description: R-Spondin 1 (RSPO-1) is a secreted growth factor that stabilizes β -catenin and enhances WNT signaling. RSPO-1 is expressed in many tissues and regulates female sex determination, XX gonad development, oocyte differentiation, and hematopoietic stem cell specification. The RSPO-1 stabilization of β -catenin promotes intestinal crypt cell proliferation. This suggests that RSPO-1 functions as a stem cell growth factor and may have therapeutic potential in the treatment of gastrointestinal diseases and chemotherapy-induced intestinal mucositis. Additionally, recombinant RSPO-1 protein is used to initiate and maintain intestinal organoid cultures.

Source: Genetically modified CHO cells.

Predicted MW: Monomer, 25.6 kDa (with 233 amino acids)

AA Sequence: RISAEGSQAC AKGCELCSEV NGCLKCSPKL FILLERNDIR QVGVCLPSCP PGYFDARNPD MNKCIKCKIE HCEACFSHNF CTKCKEGLYL HKGRCYPACP EGSSAANGTM ECSSPAQCEM SEWSPWGPCS KKQQLCGFRR GSEERTRRVL HAPVGDHAAC SDTKETRRT VRRVPCPEGQ KRRKGGQGR ENANRNLARK ESKEAGAGSR RRRKGQQQQQ QGTVGPLTSA GPA

Formulation: Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing phosphate buffered saline (PBS).

Product Specifications*

*Lot-specific values for the following specifications are supplied with each production lot on its corresponding COA.

Specification	Method of Determination	Acceptance Criteria
Purity	Reducing and Non-Reducing SDS-PAGE	$\geq 95\%$
Endotoxin	Kinetic LAL (50% confidence)	≤ 1 EUs/ μ g
Biological Activity	Luciferase induction in HEK-293 STF cells in the presence of Murine Wnt-3a	ED50 ≤ 50 ng/mL ($\geq 2.0 \times 10^4$ units/mg)

Product Preparation and Storage

Country of Origin: USA

Shipping: Room temperature

Storage Prior to Reconstitution: -20°C

Product Reconstitution: Sterile water at 0.1 mg/mL

Instructions: Centrifuge vial before opening. Suspend the product by gently pipetting the above recommended solution down the sides of the vial. DO NOT VORTEX. Allow several minutes for complete reconstitution. For prolonged storage, dilute to working aliquots in a 0.1% BSA solution, store at -80°C , and avoid repeat freeze thaws.

Expiration Date:

12 months from date of receipt when stored at -20°C to -80°C as supplied.

1 month when stored at 4°C after reconstituting as directed.

3 months when stored at -20°C to -80°C after reconstituting as directed.

THIS PRODUCT IS FOR RESEARCH USE ONLY AND IS NOT FOR USE IN HUMANS!